



## REHAB SHOWER/COMMUNE CHAIR

- Complete Packages for Easier Ordering Available
- Stainless Steel Frame
- Several Frame and Seat Sizes Available  
18"Wx18"D, 18"Wx20"D, 20"Wx18"D and  
22"Wx18"D
- Three Mobility Choices:  
Four 5" Casters, 20", or 24"  
Wheels
- 350 lb. (158kg) Weight Capacity

All ActiveAid chairs are stainless steel for long-lasting and durable use. The large selection of seats allows for customizing for the individual. The 600 has many available options so the chair can be fitted to the user, or it could be set up to be used in a multi-use facility. From the least involved client to the most involved, this chair is readily able to fit their needs.

The 600 series shower/commode chairs have features that address the needs of the homebased users, long-term care, home care clients, and caregivers. This is the go-to chair because of all the options and sizes available. From 5" casters to large wheels and many choices to pick from, this series is designed to make those daily activities just a little bit easier.

FRAMES



**P13675**  
18"Wx18"D  
Stainless Steel  
Frame



**P13676**  
18"Wx20"D  
Stainless Steel  
Frame



**P13677**  
20"Wx18"D  
Stainless Steel  
Frame



**P13678**  
22"Wx18"D  
Stainless Steel  
Frame



**P60800-2**  
5" Dual Locking  
Casters  
(pair)



**P13860**  
20" Wheels  
(pair)



**P13863**  
20" Pneumatic  
Street Tread  
Wheels  
(pair)

AXLES



**P13862**  
24" Wheels  
(pair)



**P13864**  
24" Pneumatic  
Street Tread  
Wheels  
(pair)



**P13865**  
24" Flat Free Street  
Tread Wheels  
(pair)



**P13855**  
20" PVC Handrims  
(replaces standard  
handrims, pair)



**P13857**  
24" PVC Handrims  
(replaces standard  
handrims, pair)



**P13649**  
Bolted Axles with  
Wheel Mounts and  
Tipping Levers  
(pair)



**P13650**  
Quick Release Axles  
with Wheel Mounts  
and Tipping Levers  
(pair)

WHEEL LOCKS



**P60532**  
Wheel Locks  
(pair)



**P13135**  
Wheel Locks with  
Extended Handle  
(pair)



**P60841-2**  
5" Casters  
(pair)



**P60800-2**  
5" Dual Locking  
Casters  
(pair)

SEATS \*Seat works in all 4 positions



**P60993\***  
18"Wx18"D  
Comfortuff 1.5" waterfall foam  
Front/Rear Open Seat  
A-5"xB-8" opening



**P60974**  
18"Wx18"D  
Comfortuff sloped foam  
Front Open Seat  
A-4"xB-6.5" opening



**P60701\***  
18"Wx18"D  
Ensolite® 1" foam  
Front/Rear Open Seat  
A-4.55"xB-7.75" opening



**P61058**  
18"Wx18"D  
Ensolite® 2" waterfall foam  
Front Open Contoured Seat  
A-5.5"xB-8.25" opening



**P61086**  
18"Wx18"D  
Ensolite® 2" foam  
Solid Seat



**P60675**  
18"Wx18"D  
Ensolite® 1" foam  
Cloverleaf Seat  
A-7.5"xB-9" oval opening



**P60913\***  
18"Wx18"D  
Ensolite® 2" waterfall foam  
Front/Rear Open Seat  
A-5.25"xB-8" opening



**P61121**  
18"Wx20"D  
Ensolite® 1" foam  
Front/Rear Open Seat  
A-4.5"xB-7.5" opening



**P61122**  
18"Wx20"D  
Ensolite® 1" foam  
Solid Seat



**PP60903**  
18"Wx20"D  
Ensolite® 1" foam  
Side Open Seat  
A-4.5"xB-7.75" opening

ARMRESTS



**P60903**  
18"Wx18"D  
Ensolite® 1" foam  
Front/Rear Open Seat  
A-4.5"xB-7.75" opening



**PP61122**  
20"Wx18"D  
Ensolite® 1" foam  
Solid Seat



**P61038**  
20"Wx18"D  
Comfortuff 1.5" waterfall foam  
Front Open Seat  
A-5"xB-8" opening



**P60905**  
22"Wx18"D  
Ensolite® 1" foam  
Front/Rear Open Seat  
A-4.5"xB-7.75" opening



**P13278**  
18"D Left Hand  
Armrest with Pad



**P13277**  
18"D Right Hand  
Armrest with Pad



**P13663**  
20"D Left Hand  
Armrest with Pad

LEG RESTS



**P13664**  
20"D Right Hand  
Armrest with Pad



**P13665**  
Left Leg Rest



**P13666**  
Right Leg Rest



**P13582**  
Left Elevating Leg  
Rest



**P13583**  
Right Elevating Leg  
Rest



**PL13581**  
Left Gooseneck  
Leg Rest



**PR13581**  
Right Gooseneck  
Leg Rest

600 OPTIONS

FOOT PLATES



**P13667**  
18"W 1-pc. Foot Plate/Leg Rest



**P13668**  
20"W 1-pc. Foot Plate/Leg Rest



**P13669**  
22"W 1-pc. Foot Plate/Leg Rest



**PL11099**  
Left Foot Plate



**PR11099**  
Right Foot Plate



**PL11100**  
Left Foot Plate with Heel Loop



**PR11100**  
Right Foot Plate with Heel Loop

BACKS



**P13891**  
Left Oversized Aluminum Foot Plate



**P13892**  
Right Oversized Aluminum Foot Plate



**PL11101**  
Left Padded Foot Plate



**PR11101**  
Right Padded Foot Plate



**P13651**  
18"W Sling Back with Stroller Handles



**P13652**  
18"W Solid Back



**P13658**  
20"W Sling Back with Stroller Handles

BELTS



**P13659**  
20"W Solid Back



**P13661**  
22"W Sling Back with Stroller Handles



**P13662**  
22"W Solid Back



**PW60909**  
Waist Belt  
(for 18"W frame only, 54" circumference with 12" overlap)



**PW60884**  
Waist Belt  
(for 20"W and 22"W frames only, 66" and 68" circumference with 12" overlap)



**PT60884**  
Trunk Belt  
(64", 66" and 68" circumference with 12" overlap)



**P60879**  
Calf Strap



**P11093**  
Bodypoint® Trunk Belt



**P11102**  
Bodypoint® Trunk Belt (pair)



**P11116**  
Bodypoint® Trunk Belt & Waist Belt



**P11112**  
Bodypoint® XL Trunk Belt



**P11113**  
Bodypoint® Belt w/Quick Release Knobs



**P61081**  
Bodypoint® Calf Strap  
(only available with 18" back)



**P11114**  
Bodypoint® Knee Belt

POSITIONING AIDS



**PL13574**  
Left Hand Swing-Away Adjustable Lateral



**PR13574**  
Right Hand Swing-Away Adjustable Lateral



**PL13618**  
Left Hand Arm-Mounted Hip Guide



**PR13618**  
Right Hand Arm-Mounted Hip Guide



**P61006**  
Abductor/Deflector Large



**P13670**  
Front Anti-Tippers

PANS



**P13840**  
18"Wx18"D Pan/Hanger



**P13841**  
18"Wx20"D Pan/Hanger




**P13842**  
20"Wx18"D Pan/Hanger




**P13843**  
22"Wx18"D Pan/Hanger

Seat Opening Measurements



Cloverleaf Seat Opening Measurements



full option details at [activeaid.com](http://activeaid.com)



**600** with Four  
5" Locking Casters



**600** with 20" Wheels

full option details at  
[activeaid.com](http://activeaid.com)

## SPECIFICATIONS

	18"Wx18"D Frame	18"Wx20"D Frame	20"Wx18"D Frame	22"Wx18"D Frame
<b>Weight Capacity</b>	(158kg) <b>350 lbs.</b>	<b>350 lbs.</b>	<b>350 lbs.</b>	<b>350 lbs.</b>
<b>Seat Width</b>	<b>18"</b> (45cm)	<b>18"</b> (45cm)	<b>20"</b> (50cm)	<b>22"</b> (55cm)
<b>Width between Arm Rests</b>	<b>22.25"</b> (56cm)	<b>22.25"</b> (56cm)	<b>24.25"</b> (61cm)	<b>26.25"</b> (66cm)
	<b>Armrest with Pad</b>			
	<b>20.25"</b> (51cm)	<b>20.25"</b> (51cm)	<b>22.25"</b> (56cm)	<b>24.25"</b> (61cm)
	<b>Armrest with Arm Troughs</b>			
<b>Seat Depth</b>	<b>18"</b> (45cm)	<b>20"</b> (50cm)	<b>18"</b> (45cm)	<b>18"</b> (45cm)
<b>Seat Height Range From Floor to Top of Seat (transfer height)</b>	<b>Front to Back - 24" Wheels - 23"-21.25"</b> (58-53cm)			
	<b>5"rear casters - 23"-22.25"</b> (58-56cm)			
<b>Leg Rest Range</b>	<b>with Padded Footplate</b>			
	<b>Leg Rest</b>	<b>17.75"-18.75"</b> (45-47cm)	<b>16.5"-17.5"</b> (41-44cm)	
	<b>Gooseneck</b>	<b>14"-20.5"</b> (35-52cm)	<b>12.75"-19.25"</b> (32-48cm)	
	<b>Elevating - Up</b>	<b>17"-24"</b> (43-60cm)	<b>15.75"-22.75"</b> (40-57cm)	
	<b>Elevating - Down</b>	<b>16.5"-23.5"</b> (41-59cm)	<b>15.25"-22.25"</b> (48-56cm)	
	<b>One-Piece</b>	<b>19"</b> (48cm)		
<b>Usable Seat Depth w/Solid Back</b>	<b>18"</b> (45cm)	<b>20"</b> (50cm)	<b>18"</b> (45cm)	<b>18"</b> (45cm)
<b>Arm Height from Top of Seat</b>	<b>Armrest with Pad</b>			
	<b>8"</b> (20cm)			
	<b>Armrest with Arm Troughs</b>			
	<b>8.25"</b> (20cm)			
<b>Back Height From Top of Seat</b>	<b>16.5"</b> (41cm)			
<b>Gap between top of seat and bottom of back</b>	<b>8.5"</b> (21cm)			
<b>Seat to Back Angle (or Range) (Recline)</b>	<b>11°</b>			
<b>Under Seat Height Clearance</b>	<b>18.25"</b> (46cm)			
<b>Under Seat Width Clearance</b>	<b>with 24" Wheels</b>	<b>14"</b> (35cm)	<b>14"</b> (35cm)	<b>16"</b> (40cm)
	<b>with 5" Casters</b>			<b>18"</b> (45cm)
<b>Overall Width</b>	<b>with 24" Wheels</b>	<b>15.75"</b> (40cm)	<b>17.75"</b> (45cm)	<b>19.75"</b> (50cm)
	<b>with 5" Casters and Armrest w/Pad</b>	<b>25.25"</b> (64cm)	<b>25.25"</b> (64cm)	<b>27.25"</b> (69cm)
	<b>with 5" Casters and Armrest with Arm Troughs</b>	<b>22.5"</b> (57cm)	<b>22.5"</b> (57cm)	<b>24.5"</b> (62cm)
<b>Overall Length</b>	<b>Min. with 24" Wheels</b>	<b>26.5"</b> (67cm)	<b>26.5"</b> (67cm)	<b>28.5"</b> (72cm)
	<b>Min. with 5" Casters</b>	<b>42.5"</b> (107cm)	<b>44.25"</b> (57cm)	<b>42.5"</b> (107cm)
<b>Back of Unit to Start of Commode Opening</b>	<b>with 24" Wheels</b>	<b>41.5"</b> (105cm)	<b>43.5"</b> (110cm)	<b>41.5"</b> (105cm)
	<b>with 5" Casters</b>		<b>15.5"</b> (39cm)	
			<b>14.75"</b> (37cm)	
<b>Turning Diameter Min. w/ 5" rear casters</b>	<b>42"</b> (106cm)	<b>44"</b> (111cm)	<b>44"</b> (111cm)	<b>45"</b> (114cm)
<b>Seat Used to Generate Specifications</b>	<b>#60905 22"Wx18"Dx2"H</b>			